

Symposium - Det slidte tandsæt - del 3

Vært

Tandlægeforeningen

Dato

03.11.2023

Forbehold

Alle forbehold for noternes korrekte gengivelse af kursusmaterialet tages af forfatteren.

Top 3 Dental Insights

1. Hvordan vil dentalmaterialet fejle?

Tænk altid: "Hvordan vil dette materiale fejle?", når du bruger et materiale.

Hvordan vil materialet reagere på overbelastning? Keramik vil knække, nogle gange lodret. Kompositter vil chippe.

Find ud af, om det er erosion og/eller overbelastning eller dysfunktion. Observere eller behandle? Reducere eller tilføje materiale?

Du er nødt til at tænke på, hvordan du kan bringe patientens tænder ind i 80'erne og 90'erne (alderdom).

Behandling af tænder med alvorligt slid:

Lav først ny posterior støtte, tag dig derefter af palatinale skader, og forsegl den eksponerede dentin med komposit.

Hvis du præparerer til kroner på slidte tænder, mister du det meste af den resterende tandsubstans.

Keramiske kroner har brug for tilstrækkelig plads. Hvis der ikke er plads nok, vil antagonisterne blive ødelagt.

Hvis der ikke er nok kindtænder, SKAL du restaurere dem. Ellers skal du ikke restaurere tandsættet! De forreste tænder skal ikke gøre alt arbejdet. De bagerste tænder skal beskytte de forreste tænder.

2. Patientens tyggefunktion skal rehabiliteres, ikke kun rekonstrueres

Patienterne skal være i stand til at TYGGE! De skal kunne tygge behageligt med begge sider. Ellers vil systemet svigte på et tidspunkt. De skal ikke tilpasse sig noget, der ikke fungerer.

Giv patienterne tyggegummi, og optag på video, hvordan de tygger tyggegummiet. Brug et tyggegummi til at tjekke okklusion og laterotrusion. Så får du det fulde billede af tyggefunktionen. De bagerste tænder maler maden i en rund bevægelse, ligesom en vaskemaskine. Hvis "bilen" (de nedre kindtænder) ikke kan parkere i "garagen" (de øvre kindtænder), er der interferens. Cykle ind og ud.

Mange mennesker bliver bare rekonstrueret og ikke rigtig rehabiliteret. Hvis man bare laver en rekonstruktion, vil den fejle ved det svageste led.

Man skal vælge det svage led og ikke lade patientens natur bestemme. Du skal vælge restaureringen til at være det svageste led.

Dine restaureringer VIL svigte på et tidspunkt, men du skal beslutte HVOR. Tænk som en læge: Du kan ikke altid helbrede patientens sygdom, men du kan behandle og reducere symptomerne.

Det endelige mål for patienten:
At tygge behageligt på begge sider.

3. Keramik eller komposit?

At krone eller ikke at krone? Keramik eller komposit?

Biologisk tilgang:
Kompositter ligner dentin.
Keramik ligner emalje.

Det er en forbrydelse at præparere og fjerne en masse sund tandsubstans for at lave fuldkroner!

Adhæsiv cementering har ændret tandplejen fuldstændigt.

Et nyt smil kan virkelig være livsforandrende! Patienten skal godkende behandlingsplanen, og tandklinikken kan være et stressende miljø. Det er derfor godt, hvis patienten kan bruge provisorierne derhjemme, så vedkommende har tid til at tilpasse sig det nye bid før den endelige restaurering.

Restaureringens succes afhænger af kvaliteten af den adhæsive cementering!

Lav deprogrammering/afspænding af TMJ hos slidpatienter med en Michigan-skinne før additiv behandling.

Kronetyper

Minimalt invasiv

- Additive facader (manuel fremstilling) af feldspatkeramik
- Klassiske facader (manuel fremstilling, CAD/CAM) af lithiumdisilikat-glaskeramik fineret

Defektorienteret

- Onlays (CAD/CAM, manuel fremstilling) af lithiumdisilikat-glaskeramik monolitisk/facialt fineret
- Partielle kroner (CAD/CAM, manuel fremstilling) af lithiumdisilikat-glaskeramik monolitisk/facialt fineret
- Endokroner (CAD/CAM, manuel fremstilling) af lithiumdisilikat-glaskeramik monolitisk/facialt fineret

Konventionelle

- Kroner (CAD/CAM, manuel fremstilling) af lithiumdisilikat-glaskeramik eller zirkoniumoxid monolitisk/facialt fineret eller metalkeramik

Du må aldrig tænke "DETTE er den endelige restaurering!".

Sørg for, at den underliggende tandsubstans er ren og sund, før du laver en restaurering oven på den.

Dét var Top 3 Dental Insights.

Få resten af noterne lige herunder.

Symposium - Det slidte tandsæt - del 3

Vært

Tandlægeforeningen

Dato

03.11.2023

Forbehold

Alle forbehold for noternes korrekte gengivelse af kursusmaterialet tages af forfatteren.

Overview on ADDITIVE prosthodontics 3STEP Method

V/ Francesca Valiati, dentist, prosthodontics, MD

Erosion:

Restorations behave better than the original. The enamel and dentin melt away, but the restoration stay.

“Education: The path from cocky ignorance to miserable uncertainty.” — Mark Twain

Always think “How is this material going to fail?” when you use a material.

How will the material react to overload? Ceramics will fracture, sometimes vertically. Composites will chip.

Determine if it's erosion and/or overload or dysfunction. Wait or act? Reduce or add material? You have to think how you can bring the patients teeth into their 80's and 90's (old age).

Francesca said in 2006: "We should stop doing crowns." It was very controversial. She compares teeth with legs, prostheses and organs with chronic diseases.

Treatment of teeth with severe wear:

First create new posterior support, then take care of the palatal damage and seal the exposed dentin with composite. Double veneers with palatal composite and facial ceramics can be a biological success.

If you prep for crowns on worn teeth, you will lose most of the remaining tooth substance.

Ceramic crowns need enough space. If there's a lack of space, the antagonists will be destroyed.

3STEP Method anterior:

Increase vertical dimensions
Composite palatal veneers
Facial ceramic veneers

3STEP Method posterior:

No prep and no anesthesia
Ceramic onlay
Bonding with hybrid

3STEP Method:

No anesthesia
Direct composite build ups of anterior teeth
Tacos: V-shape CAD/CAM composite monolithic restoration

If there are not enough molars, you HAVE to restore them. Otherwise don't restore the dentition! The anterior teeth should not do all the work. The posterior teeth will protect the anterior teeth.

Give the patient chewing gum

Patients should be able to CHEW! They should chew comfortably with both sides. Otherwise the system will fail at some point. They should not adapt to something malfunctioning.

Give the patients chewing gum and record on video how they chew the chewing gum. Use a chewing gum to check occlusion and laterotrusion! Then you get the full picture of mastication! Posterior teeth grind the food in a round motion, like a washing machine. If the car (lower molars) can't park in the garage (upper molars), there is interference. Cycle in and out.

Reconstruction or rehabilitation?

Do you do real rehabilitation or do you do reconstruction? Real oral rehabilitation is "gnathology". Not all people are bruxists! Many people are just reconstructed, and not really rehabilitated. If you just do reconstruction, it will fail at the level of the weakest link.

Weak links: restoration failure, excessive tooth wear, root fracture, tooth mobility, loss of attachment, TMJ disorders, muscular dysfunction, vertebral dysfunction.

Many insufficient reconstructed patients with symptoms are just categorized as psychosomatic symptoms. Sometimes it takes just one tooth, to push the balance (equilibrium) towards the red zone. You have to remove the risk factors, otherwise the symptoms will stay. Vertical chewers are very aggressive to the gingiva.

Protect the tooth substance underneath the restoration. Prostheses should not overload the remaining surrounding tissue.

The mandible should be at the center.

You should decide the weakest link

Where will you like the failure location if there is overload? In the restoration, the crown, the root, the periodontal ligament, the implant? The restoration of course!

You should select the weak link, and not let the patient's nature decide. You should select the restoration to be the weakest link.

Non-invasive additive CAD/CAM monolithic composite restoration.

With eating disorders or gastric reflux, you can protect the teeth from stomach acid with a simple removable night guard (like a whitening tray) that works like an umbrella.

Additive non-invasive veneers:

Palatal veneer
Taco veneer (V-shape)
Step veneer

Fun fact: Monolithic disilicate will shine dark at night clubs with fluorescent light!

Dental material choices:

Ceramic
Direct composite
CAD/CAM composite

Patient's choice with anterior teeth:

Non-invasive
Esthetic
Function
Biology

GTEST:

1. Way of chewing
2. Pattern of chewing
3. Masticatory muscles
4. TMJ's
5. Conflicts (anterior and posterior)

Different chewers:

Horizontal chewer: plantbased, chewing round and round. Horizontal chewing is more desirable.
Vertical chewer: carnivores, chewing up and down.

Final goal for the patient:

Chewing on both sides comfortably.

Francesca's treatment takes 2 hours every time once every week for 5 weeks. "You sleep, I bond!"
It's cheaper to do composites than ceramics. Composites are also more biologically compatible.

Are there patients that you don't want to see? Because you know there's always something wrong? Think longevity, and not dysfunctional wear and overload! Your restorations WILL fail at some point, but you should decide WHERE. Think like a doctor, you can't always cure the patient's disease, but you can treat and reduce their symptoms.

NOBRUX classification: define the conflicts.

Our therapeutic objective:

- NOT restorations survival, but protection of the remaining tissue!
- Chewing on both sides comfortably.
- Sleep great at night knowing that you do a great job rehabilitating your patients.

Francesca Vailati book: "3STEP Additive prosthodontics", 2022

Francesca tells her patients that she can't be responsible for her patient's diseases, but she can rehabilitate as best as possible. After that, patients do their own physiotherapy when they chew. Patients always pay for their treatments. No guarantees.

Full-mouth adhesive rehabilitations of patients with tooth wear, and Innovations in prosthetic materials and latest techniques

V/ Irena Sailer, professor, dr med dent, and
Vincent Fehmer, MDT (dental technician)

To crown or not to crown.
Less invasive concepts.
Document your cases.

It's a crime to prep and remove a lot of healthy tooth substance to make full crowns!
Veneers, overlays, partial crowns, occlusal veneers, table tops, additional veneers (etch pieces).

Adhesive cementation has changed dentistry completely.

Soft drinks and energy drinks are very popular, and are very acidic and have sugar in it. They increase tooth erosion in young people.

Irena rarely use classic stone casts in the clinical practice. Classic wax up in study models gives us no indication whether it's right for the patient. A clinical try-in waxup with a diagnostic stent is much better. Discuss the waxup function and esthetics with the patient and technician.
Finalization with feldspathic ceramic veneers.

Francois Duret, a pioneer in digital dentistry and intraoral scanning, 1973, Aarhus Tandlægeskole

Digital tools in dentistry:

- Clinical diagnostics
- Radiographic
- 3D planning
- Surgical stent
- Implantation
- 3D regeneration
- Digital impression
- Digital casts
- Digital provisionals
- CAD abutments

- CAD reconstructions
- Computerized maintenance

A future of less invasiveness:

Patented “The Geneva Key” = a 3D printed monolithic key with a digital waxup using stamp occlusion with direct composite resin.

Evolution of technology with smile design and virtual teeth tracking. Patients want a smile that is both esthetic and functional. Augmented smile design of before and after images of the patient’s smile and face.

New article: *Marchand L et al, Latest advances in augmented-reality technology and its integration into the digital workflow, International Journal of Computerized Dentistry, 2023 (submitted).*

You can do micro-veneers of feldspathic ceramic for the anterior area for high esthetic cases. Feldspathic ceramics are still the highest esthetic.

Highest esthetics:

Veneers (change shape and color) —>

Micro-veneers (change color) —>

Monolithic composite (change shape and color in full mouth)

Composites will still wear a bit more over time than ceramics.

Minimally invasive prep: slight refining and rounding of fragile enamel.

All their patients gets a postoperative protective splint as a night guard.

Digital/optical impression.

A new smile can be truly life changing! The patient needs to verify the treatment plan, and the dental office can be a stressful environment. It’s great if the patient can use the provisionals at home to have time to adjust.

The success of the restoration relies on the quality of the adhesive cementation!

Deprogramming/relaxation of TMJ of wear patients with a Michigan Splint before additive treatment.

Dahl’s Principle of letting the anterior teeth elongate natural is best to do in collaboration with the orthodontist.

Micro-abrasion in combination with bleaching is also a great option for internal discoloration of anterior teeth.

Biological approach:

Composites are similar to dentin.

Ceramics are similar to enamel.

Conclusions

Minimally invasive

- **Additional veneers** (manual fabrication) of feldspathic ceramics

- **Classic veneers** (manual fabrication, CAD/CAM) of lithium disilicate glass-ceramics veneered

Defect oriented

- **Overlays** (CAD/CAM, manual fabrication) of lithium disilicate glass-ceramics monolithic/facially veneered
 - **Partial crowns** (CAD/CAM, manual fabrication) of lithium disilicate glass-ceramics monolithic/facially veneered
 - **Endocrowns** (CAD/CAM, manual fabrication) of lithium disilicate glass-ceramics monolithic/facially veneered
- Conventional
- **Crowns** (CAD/CAM, manual fabrication) of lithium disilicate glass-ceramics or zirconia monolithic/facially veneered or metal ceramics

You can never think “THIS is the final restoration!”.

Make sure the fundamental tooth abutment is clean and healthy before making a restoration on top of it.

Dét var Dental Insights. Tak fordi du er her. ❤️

Kærlig tandhilsen Anne Mette