



Guidelines infectious diseases and rheumatology simple cases

Copyright Dr Pascal Vidal. This document is the property of the Institute of Photonomedicine and may not be reproduced or circulated without permission.

In rheumatology simple cases

To reduce inflammation, apply Red 25 followed by Turquoise 44.

To soothe nerve pain, Yellows 16 and 12 can be used—with the addition of Turquoise 44 or 38 (for its effect on microcirculation), depending on the VAS—as well as Cyan 80B.

(Yellow 16 acts primarily on the myelin sheath, and Yellow 12 primarily on the axon.)

Orange 21 will help repair what can be repaired.

Yellow 9 (or even Yellow 3, depending on the VAS reactions) will be useful in cases of disc protrusion.

Muscle tone will restore everything to its proper position, hence the necessity and importance of applying Blue 47, with applications of 16 and 47 aiding in the functional restoration of chronaxies.

Applying Violet 35 to the sacral level is essential for repairing deep structural lesions.

Back pain

Back pain encompasses a wide range of issues, including arthritic, arthritic, and structural problems stemming from disc protrusions, vertebral slippage, nerve compression, and neuromuscular inflammation. It can also accompany or be a symptom of psychosomatic disorders.

It's worth noting that this treatment will address related problems such as terminal nerve pain in the limbs.

The first thing to do is to examine the straightness of the spine or any possible deformities by a thorough clinical examination, to look for disc or vertebral areas emitting VAS and to note them.

Based on this information, it is then necessary to proceed with a pavilion-level treatment, to increase the photonic projections on these areas.

It should be noted that there is a vulnerable area along the convexity of the thoracic spine in the interscapular space, adjacent to the cardiac and pulmonary plexuses.

This region requires special attention as it is an area of "energy leakage" and/or a zone that needs re-energizing.

For this treatment, we recommend the yellow color (3, 9, 12) according to the VAS.


We must distinguish between the lumbar and sacral territories on the one hand, the dorsal territories on the other, and finally the cervical territories, which will be treated differently.

In the lumbosacral region, Red 25 is predominant as a therapeutic photon source. During the assessment, it is naturally preceded by Green 53 and followed by Turquoise 44.

- In the dorsal region, Orange predominates, due to the importance of the cardiorespiratory plexus.

In the cervical region, proceed gently and carefully, avoiding any sudden movements. The preferred color to use in this area is Blue 47, combined with either Orange, Yellow, or Purple 24, after any inflammation has been eliminated (Turquoise 44, Green 58).

(Red 25 is not recommended for direct application to the cervical region and should be used with extreme caution due to its proximity to the brain.)



Copyright Dr Pascal Vidal. This document is the property of the Institute of Photonomedicine and may not be reproduced or circulated without permission.

When the situation has returned to normal, it is appropriate to use Orange 21 and Indigo 98 (or 49 B) which improve redox, and Magenta 32 in chronic and painful cases.

It should be noted that if the treatment carried out on the ear is followed by good cleaning by green 58, local application on the cervical spine is most often unnecessary.

Sprains and dislocations

These are easily diagnosed and straightforward conditions, as these accidents are either initial or recurrent.

Treatment should focus on reducing inflammation and addressing the supporting tissues and muscles.

In cases of recurring problems, treatment with Magenta 32 and Cyan 80 B should always be added.

These conditions are very easily remedied and are generally followed, after one to three sessions, by the disappearance not only of the symptoms of edema and pain, but also by the functional normalization of tissue, which can be reproduced at will.

Muscle injuries, ligament ruptures

In case of a hematoma, the sequence Green 53, Green 58, Red 25, and Turquoise 44 should be applied several times to allow it to be reabsorbed.

The following light sources should be used to further reduce inflammation, improve circulation, and stimulate vitality; hence the appropriate use of the following colors: Yellows, Blue 47, turquoise, and oranges, with orange being the most effective vital stimulant.

Simple cases in infectious diseases

Infectious diseases are a key area for the application of photonic medicine, whether for acute or chronic pathologies.

The components of light even act directly on bacteria and viruses.

Biological defence systems are sensitive to certain wavelengths, and viruses and bacteria often react directly.

A REMINDER OF THE APPROPRIATE USE OF COLOUR IN INFECTIOUS PATHOLOGY

Copyright Dr Pascal Vidal. This document is the property of the Institute of Photonomedicine
and may not be reproduced or circulated without permission.

Investigative colours :

- Green 53 is an investigative colour, used to locate areas where electromagnetic coupling are breaking down.
- Red 25 is an investigative colour for inflammation and a treatment colour for infectious diseases.
(But it is also therapeutic).

Investigative colours :

Red 24 is an indicator of infectiousness because infection always sets in where there is an energetic disorder.

It is therefore possible to start with 24 when we don't know what the patient has.

If it's an infectious problem, we'll find a VAS emission, as well as in the case of a functional disorder.

Investigative colours :

Turquoise 38 and 44 are investigative and therapeutic colours. They address the blood flow and encourage the passage from one wavelength to another.

Turquoise 44 should always be applied after Red 25 to amplify the action of Red 25, due its vascular action.

Therapeutic colours:

The colours we use in therapy are essentially :

- Green 53
- Red 25
- Turquoise 44 E or 38
- Green 58 and Green 54
- Blue 47
- Orange 21
- Indigo 98 F

Therapeutic colours:

Greens 54 and 58 are useful as therapeutic antibacterial colours:

Green 54 is effective for its anti-infectious action (and is therefore very useful for pneumonia, peritonitis, meningitis, etc.), **while Green 58 has a draining effect which contributes to the therapeutic effect of 54.**

Therapeutic colours:

The application of Blue 47 makes it possible to search for a viral cause and then move on to treatment.

Oranges are therapeutic colours for boosting metabolism and acting on redox, as is Blue 47 (anti-viral activity).

1/ Sinusitis

The bone structure of the masseterian mass and the sinuses, which are hollow, vacuolated bone structures, organised for the circulation of gases and air.

When this circulation is impeded by malformations or proliferations (e.g. polyps), these necessarily lead to the formation of infectious zones, either of bacterial or viral origin, in these vacuoles.

Treatment therefore usually consists of re-establishing air circulation in the masseterian masses (surgery).

Drug therapies are generally ineffective in reaching infected areas, due to the poor vascularisation of these territories as a result of inflammation or the chronicity of lesions organised in these vacuoles.

Photonic therapeutics will therefore have to achieve two objectives:

- Restore gas circulation, or at least contribute to it;

- Neutralise bacterial or viral virulence in infected alveoli, by encouraging the supply of energy via vascular and transcutaneous routes in the form of photons, the fundamental activity of which is to re-establish electromagnetic couplings that have been disrupted or damaged in these areas.

The method recommended here consists of :

- treatment via sinus reference points in the auricle, in the area under the tragus and on either side of the tragus to reach the pharyngeal area and the cavum.
- Then, when the treatment has been effective at auricular level, we need to move on to *in situ* treatment.

We recommend the following use of coloured filters on the auricle and in situ.

Green 53 should be used first until the VAS production is extinguished; then Red 25 if the pathology is acute; then Turquoise (38 or 44), according to what the VAS expresses: 38 is more effective on bacterial infections, 44 seems to us to be more effective on viral infections).

Please remember ! : 53/58/25 is decongestant in acute cases.

53/24/58/44/(25 if necessary)+ 35/ anti-infectious colours 47 (44) and/or 54/38, 58/ 80 (the latter may be of interest for analgesic purposes depending on the RAC-VAS).


Then a very important colour for all affections of hollow bony territories: Orange 21 or 22, until extinction of the VAS. Follow this Orange with an abundant Indigo bath on all the areas and, in the case of chronic pathologies, follow this Indigo bath with a Magenta 32 bath.

In an acute situation, postpone the application of Orange 21 to a later session.

The recommended sequence is as follows, *in situ* :

starting from the oculonasal angle, follow the entire nasal line of the wings of the nose; then project over the wings of the nose, then over the chin to go up along the mandibular arch to the origin of the Eustachian tube and return over the masseter by rotating the masseter.

If there are VAS on the forehead, illuminate the frontal sinuses.



Copyright Dr Pascal Vidal. This document is the property of the Institute of Photonomedicine and may not be reproduced or circulated without permission.

This operation should be performed on both sides of the face. Above all, do not neglect the path of the Eustachian tube towards the jaw to clear the air circulation.

Particular emphasis must be placed on the need to eliminate all VAS emission for each colour and at each level.

It is also important to consider whether or not the mastoid on either side of the jaw is pathological.

Sinusitis behaves like an infectious sequestrum, and the action of light components on infectious agents is direct and does not pass through the bloodstream.

In the case of relapses and resistance, the defence systems need to be reactivated with Lemon Yellow (Yellow 3), which also has a direct effect on the vascular and tissue health of bone masses (remember that yellow acts on the vascular and nervous poles of all tissues).

It should be noted that the colour sequence 21/12/47/98 is used in bronchiectasis and sinusitis. The Orange 21 should be sprayed after administering the anti-infectious colour sequence, never before.

In fact, when all the present VAS have been extinguished with the colours supporting the fight against infection and Orange 21 is applied, there are VAS, which need to be treated until they are erased by Orange and then Indigo.

Special case of children with repeated and/or long-standing infectious pathologies

In this case, it is advisable to look for the source of the infection, which may be sinus, dental or auricular.

Treat the frontal and maxillary sinuses, the Eustachian tube, the pharynx, the larynx, the wings of the nose (+++) and the upper lip as well as the chin with the following sequence:

Green 53, Red 25, Turquoise 44, Orange 21, Indigo 98, then systematically the lung points from behind at the level of D1-D2 (lung sensitivity points) as well as the same points at the front of the body, the coloured application being carried out as always until complete extinction of the VAS emission.

Next, treat the pulmonary hilum area between the shoulder blades, as well as the pulmonary base area, and finally the convergence point behind the pulmonary and cardiac plexuses, from D3 to D5, with Lemon Yellow (Yellow 3 or 9), before finishing by applying Turquoise 44 or Blue 47 to the throat plexus.

2/Other ENT conditions

a/ Bacterial angina: squamous work, firstly insisting on the pharyngeal area, then locally in the throat with the optical fibre of the lamp used (Premio 40[®]), and finally externally on the skin of the entire tracheal area.

b/ Infectious mononucleosis: it should be treated like a viral pathology in the throat and above all stimulate immune functions by treating the thymus with Yellow 9 or 12 (according to VAS perception) and Purple 24.

It should also be noted that stimulation of the thymus in children must be done with care so as not to induce a slowing of growth, so NO YELLOWS, but rather turquoises (44 or) 38 according to the VAS.

c/ Ear infections: first treat the pinna, then the auditory canal, the mastoid area and the area of the cranial nerves concerned. The Eustachian tube should also be treated to improve air circulation.

3/ Covid 19

The clinical expressions of the different variants of the Covid 19 virus were very diverse :

- sometimes acute infections with asthenia++, ageusia or dysgeusia, loss of sense of smell, dyspnoea and extensive lung damage, digestive problems and memory and cognitive disorders, stupor, depression or anxiety stupor or marked anxiety.
- Sometimes minor clinical expressions, either respiratory, digestive or cutaneous, or simply flu-like symptoms with aches and pains; or inaugural manifestations such as angina or pharyngitis.

In all cases, a sign that seems to be characteristic of this pathology is the following : as soon as you explore the ear pavilion with Green53, the reaction of both lung fields is massive, with very strong and vigorous VAS emitted by both pulmonary fields, which may be marked and long-lasting if the disease is onsetting, ongoing or recent, or more attenuated in intensity if the condition is less recent.

When you have this sign and the symptoms are very recent and you ask for a PCR test, it is positive for Covid 19 in more than 90% of the cases.

VAS emission can be found in both lungs several months after the episode several months after the clinical episode, but in this case they have lost their initial strength.

In a recent or ongoing condition the strong and vigorous VAS detected in pulmonary fields should be erased completely with this Green 53, in both ears, and that may take some time, as well as in the sinus area in ear pavilion.

If the condition is older, the VAS are present everywhere, but are less intense and fade away more easily.

In an acute condition, during the initial exploration with Green 53, explore fully both ear pavilion as there is a massive VAS emission in several places, and be sure to turn off anything emitting VAS, most often: brain++, brain stem, lungs, brain++, liver+++, intestines++, pancreas+++, liver+++.

And only then explore/treat with the other colours:

- Red 25
- Turquoise 44
- Green 58
- Blue 47+++
- Turquoise 44
- Green 54 (if bacterial superinfection)
- Turquoise 38 (if bacterial superinfection)
- Green 58

Other colours may be added: Cyan 80 B in case of oedema++, Oranges 21 and 22 to be done when inflammation is less significant, otherwise Blue 47 is useful in cases of asthmatic bronchitis, Violet 35 in the case of significant lesions.

And always end the session by applying Indigo 98

If the condition is ongoing, do not use orange 21+++ . Otherwise the condition may worsen.

This sequence should be used on all the organs listed above and applied until the VAS are extinguished for each colour used at the pinna level.

The auricular treatment will be followed by *in situ* treatment as usual.

Particular attention should be paid to the lungs : look for any associated bacterial infections, and above all treat the pulmonary hilum area on the posterior surface which often generates a large number of VAS, which must be fully erased.

Local investigation of respiratory damage

Start with Green 53 in order to detect all the areas concerned involved, starting with the ENT sphere : frontal sinuses, ethmoid, maxillae, nasal cavities, throat, and down to the trachea, bronchi and lobes of the lungs and back, clearing the VAS, following the direction of the bronchi.

Be sure to identify the types of VAS and the most acute areas.

The lung bases may have an effusion, the possibility of a more reactive lobe, raising the suspicion of superinfection confirmed by the typical Green 54 for bacteria.

It is important to treat the digestive system as a whole in all cases, even in clinically minor forms expression, paying particular attention to the liver and pancreas which are often affected.

Viruses spread throughout the body, and liver and pancreas are usually the first to be affected (nausea, fatigue vomiting), and an intestinal damage will result in gastroenteritis.

The treatment will also drain toxins. It will initially consist of acting on the cecum with Green 53 and then 58 until the extinction of VAS is complete for both colours, then the entire colonic frame with Green 58, Red 24 or a little of Red 25, Turquoise 44, Green 58, Blue 47 (antiviral and antispasmodic), Turquoise 44, and then Green 58 for its cleaning effect.

Then small intestine with Yellow and Turquoise 38, and finally the pancreas with Blue 47, Violet 35, and the liver with Red 25, Blue 47 (viral hepatitis), Turquoise 44, Magenta 32;

Finally, Indigo 98 for the entire digestive tract, including liver and pancreas.

Don't forget to explore/treat in the pavilion and in situ on the body, the spine as a whole, with particular attention between D2 and D7 (cardiopulmonary plexuses) , which often generating intense VAS, with Yellow 12 and Blue 47.

In the case of ground-glass lung lesions on chest thoracic CT scan, it is very important to show the patient diaphragmatic breathing exercises, adapted and easy to him, and ask to practise them twice or thrice a day, which will greatly accelerates the healing and disappearance of these lesions, and improve subsequently his physical condition.

What has just been described for the treatment of Covid 19 also applies to post-vaccination Covid episodes, where symptoms are sometimes reduced, but sometimes quite intense in brain area, liver and/or pancreas, or on the respiratory tract with a special impact on heart/lungs.

4/ Flu

An anti-infectious and anti-viral treatment should be carried out on the ear and *in situ*.

The lung, bronchial tree and hilum, trachea, wings of the nose and maxillary sinuses must be treated systematically, even if there are no apparent signs of infection in these areas.

When combined with exploration of the caecum and treatment of the liver, pancreas and spleen, this comprehensive treatment is the only guarantee of effective treatment.

- common nasopharyngeal and glottic influenza: the nasopharynx should be treated, starting with the entry points of the ethmoid, down the wings of the nose and over the cheeks. Then do the point known as the "little death" point, the furrow running down to the chin vertically from this point, the chin+++, and the point just above and below the Adam's apple, in the hollow.

Lung flu: the upper lobe bronchus on each side, which is most often the starting point, and the trachea must be treated.

The colours to use are as follows: Green 53/Green 58/Red 25/Green 54/Turquoise 38/ Blue 47/Turquoise 44 E/ Green 58/Orange 21 and 22 (here Green 58 must be used before each therapeutic colour change).

NB: Orange 21 should not be performed at the start of treatment, but at the end when all the inflammation has subsided.

When the subject is coughing, the application of Orange 21 and Cyan 80 B is very useful.

In addition, applying these oranges to the tragal area helps to prevent the onset of ear infections following influenza.

5/ Other infectious diseases

a/ Small wounds are mainly treated with yellow and red. However, depending on the origin of the wound, other colours may be used and you should not hesitate to select the best colour using the VAS.

b/ Pressure sores are usually treated with this sequence, which has proved particularly effective: Green 53/Red 25/Turquoise 44 /Yellow 12/Turquoise 44 E/ (Magenta 32)/Blue 47.

c/ Warts are usually treated in the same way as viral infections.

d/ Varicella and measles: these are first treated on the pinna as a viral pathology. Then in situ on the skin, use the following sequence: Blue 47/Purple 24/Turquoise 44 .

If the pruritic component is important, use Green 53 on the skin, and don't forget to finish by working on the liver with Magenta 32 and Indigo 98 .

e/ Shingles, Herpes : Do the sequence: Green 53/ Blue 47/ Turquoise 44 / Red 25/ Turquoise 44 /Magenta 32 and if there is resistance insert Yellow, followed by Turquoise 44 (whenever there is resistance Yellow is clearly indicated).

Another sequence that we think is particularly effective is : Green 53/Purple 24/Blue 47/Green 58/Yellow 16/Blue 47/Turquoise 44/Cyan 80B. Add Violet 35 (to regenerate the nerve sheath) after Yellow 16 in subsequent sessions.

It is important to stress that, in the specific case of herpes zoster more than for other indications, it is advisable to maintain the same initial operational protocol.